



X55 II Overview

Target Customer Early Adopter to Technic and Fashion A Grade Smart SUV Product Position 4620*1886*1680/2735mm **Basic Parameter** 1.5T+7DCT Design Intelligence **Safety** Quality **Power Crystal Star** Comfortable **Core Power** ADAS **C-NCAP 5 Star** Design **Driving** USP **Healthy Cabin** C-NCAP 5 Star Design Dual "Top 10" Power Advanced Driving **Inductive Panoramic Robotech Body Crystal Diamond** 100km accelerator 7.84S **Assistance System** Design Sunroof Interstellar Cabin **SMART Drive Mode APA Auto Parking** Comprehensive **Hidden Door handle WLTC Comsumption6.9** Safety Design **Smart Tail Gate**



Crystal Star Design









Design Theme

CRYSTAL STARS





Colors













Inductive Hidden Door Handles

Popped out door handle like a handshake

Hidden door handle equipped on all series

- Supercar door handle design: greatly reduces the side wind drag coefficient and improves fuel economy
- Automatically pop out: When approaching the vehicle with the key, the vehicle automatically unlocks and pops out the handle; When leaving the vehicle, the vehicle automatically locks and closes the door handle;
- Ice-break mode: After rain or snow, if the door handle is frozen, the electric lock will automatically trigger three hits to break the ice and ensure the useage of the car








0.32 Super Low DC

Super low DC, New limit of SUV



Best in the same level

- **0.32 DC**, super low drag coefficient
- Build on many details, boundless low dc grille, high slope windshield, streamer surface, split tail, hidden door handle, hidden wiper, flat chassis etc.
- When driving in rainy weather, the windshield leaves less rain, and the windows on both sides of the main and front passenger are cleaner, which improves driving safety



魔方	Q5	X5	GLC	卡宴
0.32	0.33	0.31	0.31	0.35



Interstellar Cabin

Interior Lighting, brighten your night






Core Power



Double "TOP 10" Power

Fast feedback power train, economic and efficient



Double "TOP 10" Power, highest torque within A class					
Model	X55 II	Changan UNI-T	MG one	Haval H6	CRV
Prize	Dual Top 10	Top 10 Motor	Top 10 Motor	N/A	N/A
Emission	1.5TD	1.5TD	1.5TD	1.5TD	1.5TD
Power/KW	138	132	133	124	142
Torque/N•M	305	300	285	285	243





Dual "Top 10" Awarded Powertrain














Magic Core1.5T

DCT 380



Magic Core 1.5T Motor

China Heart Top 10 Motor

BAIC and Germany Meta Co-Developped

39.2% thermal efficiency

VGT Technology

Miller Circulation

High Tumble Ratio

350Bar Jet Grouting

21 Noise Deduction Tech

40000h+ temper

A fast-running, fuel-less, quiet and reliable Top 10 Motor

Model	BAIC Magic Core 1.5T	Changan Blue Vail 1.5T	Haval 1.5GDIT	VW 330 2.0T	BMW X1 2.0T
Max Power	138kW	138kW	135kW	137kW	141kW
Max torque	305N•m	300N·m	275N·m	320N·m	280N·m



Magic Core 1.5T Motor

VGT Supercharger Technology

Run fast, and faster!



Compared with ordinary turbines, Sino-German technology combination adds blades with variable angles to achieve variable cross sections.

At low speed, exhaust gas flow rate is increased through decreasing the section size to increase the turbine speed, so that the turbocharging efficiency is improved



At high speed, the cross section is enlarged, the exhaust resistance is reduced, and the power output is larger

Increase 43% low speed response time

- > The engine achieves a maximum torque of 305 nm at 1500 RPM
- > 1500-4250 RPM wide range torque platform



0-100km Accelerate

Quick start/ Easily overtaking

ltem	Throttle Opening	BMW-X1	X55 11 perfor	
Start acceleration	25%	≤0.35	0.22 h	Torque
response time (accelerated speed	50%	≤0.25	0.12	
0.03g time)	75%	≤0.20	0.10	4.5 Turbechaged Competitive 2.71 (II.401. Superior Competitive 2.71 (II.401. Superior Competitive 2.71 (II.401. Superior Competitive 1.41 (II.401. Superior Competitive 1.41 (II.401. Superior Competitive 2.71 (II.401. Superior
Overtake accelerated response time	50%	≤0.45	0.36	2.7.1.7.dray 2.2.5 13.1.1.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0
(60km/h accelerated speed 0.03g time)	75%	≤0.25	0.28	25 1.5 - 26 1.0 - 27

Performed better than competitors in A Class							
Model X55 II Changan UNI-T MG one Haval H6 CRV							
100km accelerate/S	7.84	7.97	8.1	10.05	8.81		
100km braking/M	35.6	36.33	37.11	37.19	35		



7.8s 1-100Km Acceleration

You can see other cars only in your rearview mirror



7 21c

7s Club Member Strongest Power in A Grade Benchmark BBA 2.07 Power Level




9.065

SMART Driving Mode

Satisfied the needs of the driver by automatically shifting to suitable driving mode, convenient and comfortable



According to the driver's throttle pedal opening intelligent recognition of the driver's intention, automatically switch the required driving mode.



With the memory function of driving mode activated, when the car

is turned off under ECO and NORMAL mode, the mode will continue

activating when you start the vehicle again.


The first model who carries driving mode memory and SMART driving mode Model **Haval H6 UNI-T** GS4 **RX5plus** Tiguan L Memory of N/A N/A Yes N/A N/A Yes driving mode Yes **ECO** Yes Yes Yes Yes Yes **NORMAL** Yes Yes Yes Yes Yes Yes Yes Yes **SPORT** Yes Yes N/A Yes Yes **SMART** N/A N/A N/A N/A Yes (Customized)



experience

Fuel Economy

Low DC Design combined with strong power train



Fuel-Efficient

Lowest WLTC Consumption							
Model	X55 II Changan UNI-T Haval H6 CRV						
Consumption	7.25	7.5	8.55	7.0			
DC	0.33	0.35	0.37	0.33			

Shift as you wish





ADAS



ADAS

Multiple sensors and assist driving functions

1brand new parking domain controller 1 Bosch 5th generation millimeter wave radar

5 driving and monitoring cameras 12 ultrasonic radars



360° panoramic image
AEB (Automatic Emergency Braking)
IACC (Intelligent adaptive cruise
control)
Lane keeping assistance
APA (One button control automatic
parking System)

360° follow-up 3D panoramic image



Through 4 megapixel HD cameras, collect images around the vehicle body, and provide images and reversing track lines when reversing to assist in accurate parking.

Comfortable intelligent cruise



Intelligent cruise can be started during long-distance driving, and you can easily follow the car in front without stepping on the accelerator.

Comforting low-speed traffic jam assistance



When the low-speed **traffic jam assistance** is turned on, the vehicle can automatically follow the traffic flow, and the vehicle can drive normally in the lane, which is very convenient.


APA Automatic Parking Assistance

Multiple scenarios


Stored 5 topographic maps, available in multiple parking scenario date, up to 90% parking completion rate.

Intelligent planning, low speed object avoidance

Based on sensors and related algorithms, APA can calculate the optimal parking path, automatically detect the low speed object and make braking avoidance accordingly.




Automatic Emergency Braking(Persons/Vehicles)



When there is a risk of collision with vehicles or pedestrians are close to the front, AEB will turn on the alarm state. After receiving the signal, the icon flashing and sound alarm are activated for warning. If the driver does not respond to the above warning (including visual warning, auditory warning and short braking warning), the automatic emergency braking system will be active to avoid collision.

Lane keeping assistance



Measure the distance and orientation of the vehicle relative to the lane edge detected by the camera, provide steering control for the driver and keep the vehicle driving in the lane.

AEB Autonomous Emergency Braking

Safety guaranteed, no rear-end

Identify the pedestrian or vehicle ahead, if there is a collision risk, the system will issue an alarm, actively apply braking force, so that the speed is significantly reduced, and the driver could have

more reaction time to prevent collision or reduce the injury caused by the collision





- Wider range
- ➤ Identify still objectives within 5-60km/h speed
- The use of front Angle radar can improve the recognition and braking of lateral moving objects
- Worked together by millimeter wave radar and forward-looking camera, when the distance from the vehicle or pedestrian in front is less than a safe distance, the vehicle can actively brake, so as to reduce collision accidents and protect life safety

^{*} If the driver steps on the brake pedal, steps on the gas pedal with big foot, turns the steering wheel and other actions during the AEB triggering process, the system will judge that the driver is taking active measures, and the AEB function will exit and the vehicle will no longer be controlled to slow down



C-NCAP Five Stars



Safety——C-NCAP 5 Star

Double safety test and five-star standard escort






50kph front crash



Pedestrian protection head crash




50kph side crash



Pedestrian protection legs crash





50kph MPDB



Seat whipped

C-IASI (Version 2020)

- Front crash 25% bias
- > Side crash
- > Roof strength test
- > Seat / headrest test



Higher standards, more abundant materials, more comprehensive safety						
Models	Х55 П	Changan UNI-T	Boyue X	MG one	HAVAL H6	
C-NCAP (Version 2021)	5 stars	5 stars	5 stars	N/A	5 stars	
C-IASI (Version 2020)	Class G (5 items)	N/A	N/A	N/A	Class G (4 items)	

The most advanced insurance in times of emergency.

In case of an emergency, the structural design of the vehicle, side crash and head safety protection will save the lives of drivers and passengers in times of emergency.


Comprehensive Protection Design

Space fortress body design



The body stiffness is 21872, which can strengthen safety protection in crash reduction and deformation.


New X55 II



UNI-T



There are three longitudinal force transmission paths in the front cabin, which is conducive to dispersing the force. There are only two Uni-t.





Compared with uni-t single beam, double beam closed structure provides strong support.

Excellent structure, large quantity, high strength and abundant materials

high strength and abundant materials						
Models	Х55 П	Changan UNI-T	MG one	HAVAL H6	Honda C-RV	
车身扭转刚度 N•m/deg	21872	19200	18000	19000	19000	
防撞梁截面尺寸 (mm)	111*45*1.5	100*30*1.2	100*30*1.2	100*30*1.2	100*50*1.5	
前后门双加强梁	2	1	1	2	3	

Passive safety protection system



6 airbags in all directions to reduce the degree of casualties.



Comfortable Driving



Healthy Cabin

Healthy and quiet mobile space





The benzene is **25%** of the national standard.

The formaldehyde is **10%** of the national standard.



Antibacterial handlebar grip



The bacteriostatic rate was 99.9% (Staphylococcus aureus, Escherichia coli and pneumoniae)

The noise isolation of the whole vehicle is more than 25 dB, and the noise in the vehicle is less than 67 dB at a constant speed of 120KM/H.



29 sound absorbing materials



26 cavity partitions



Induction Panoramic Sunroof & Hidden Door Handle


The high-tech sunroof from Inalfa has a large light transmission area and can auto-sensing rain and close.



Advantages: The light transmission area is the largest among competitors, and it is also the only model equipped with the function of automatically closure sunroof in rainy days.

Models	Х55 П	Changan UNI-T	Boyue X	HAVAL H6	CRV
Transmi- ssion area	0.81 m²	0.73m²	-	0.82 m²	0.53m²
Rainy days Automatic Closure	YES	N/A	N/A	N/A	N/A

Attractive appearance with the sense of ritual to provde you a fully satisfiction of both the internal and external!



High cost: about 30% higher than mechanical door handle.



Don't worry about freezing in winter.

Intelligent welcome mode

Automatic locking function after leaving Ice-breaking mode

Touch, automaticall y popup

Multiple functions: Integrates four functions

Intelligent tailgate

No More Manually Operation——Intelligent Tailgate



Dual-drive electric struts 37.2mm in diameter.



Intelligent induction entry



Delayed off

A: Dual-drive electric struts, 37.2mm in diameter	: with intelligent entry a	demonstration closing	remote control opening and closing functions
A. Dadi dilve electric strats, 57.211111 ill didileter	, with intelligent entry, t	acinonistration closing,	remote control opening and closing functions

Models	C52X	Changan UNI-T	HAVAL H6	CRV
Structure	Dual-drive	Single-drive	Single-drive	Gas spring
Struts diameter	37.2mm	36	36	18
Intelligent entry	Yes	N/A	N/A	N/A
Delayed off	Yes	N/A	N/A	N/A

B1: Delay off•Saving Time and comfortable

You can remove things at any time without having to manually close it.



B2: Induction open• Effortless

The tailgate will open automatically when the key stays at the back of the vehicle for 4 seconds.

THANK YOU! BAIC Ø € Ø Ø BAIC JORDAN www.baicjo.com